YiliJet | XENONS

Limitless Possibilities

Digital Enhancement Printer

Model:M7110

YiliJet Group

Facilities 1: Optical Valley, Wuhan, Hubei
Facilities 2: Hi-Tech Industrial Zone,Wuhan, Hubei

Facilities 3: Xian 'an Economic Development Zone, Xianning , Hubei
Facilities 4: Zhongxiu Industrial Park, Panyu, Guangzhou

Website:www.xenons.cn
Email: sales@yilijet.com

Spot Varnish | Crystal Spot Varnish | Reverse Varnish
Refraction Pattern | 3D Foiling | Frosted Foil
Texture Gold | Accurate overprinting

Digital Enhancement Printer

M7110 can easily help you achieve breathtaking 2D/3D gloss finishes, which encompass refraction textures, reverse varnish, and gold foil effects. Outshining traditional methods, it eliminates plate-making for lower costs and higher efficiency.

Our device, powered by Xenons's self-developed printing system and the industry-leading visual positioning system, ensures more consistent print results with superior registration precision. Despite its compact design, it elevates your prints to make a powerful visual impact, and boosts your competitiveness and drives greater profits for your business.

Customer Samples


Binding

Custom-made Wine Label

Carrier Bag

Gift Box


Art Derivatives

Business Card

Device Specifications

Model:M7110		
Print head		TOSHIBA
Printhead Number		6 (Standard), 7-8 (Optional)
Polymer		Special High-Transparency UV Varnish
RIP Software		FlexiPRINT
Ink Supply System		Intelligent negative pressure ink supply system
Ink Curing System		Air-cooling UV LED curing system
Automatic Camera&Marks Positioning System		Xenons's self-developed visual positioning system and software
Printing Size		650MM(Length)*950MM(Width)
Overprint Accuracy		±0.2mm
Thinnest Line		0.2mm
Speed		60 pieces of A3 size sheets / H (Depending on your application)
Substrate thickness range		0-150mm
Enhancement Effect		Spot Varnish, Reverse Varnish, Refraction Pattern, Texture Gold, Crystal Spot Varnish, 3D Foiling, Frosted Foil,etc;
Substrates Types		Papers(Laminating-needed)、Leather、PET、PVC、Acrylic
Data Transmission		Gigabit network and USB 3.1 high-speed transmission
Electric Requirement		AC220V/50HZ
Equipment power		2500W
Net Weight		400KG
Dimensions	Overall Structure	2380MM(Length)*1650MM(Width)*1350MM(Height)
	Package Dimension	2650MM(Length)*1670MM(Width)*1600(Height)

*The above contents, pictures etc; are for reference only. The correct products and product information may differ from actual models. We have thoroughly proofread all the information, but please understand if there are any omissions or translation errors. Product parameters and other information are subject to alteration without advanced notice, please confirm all the information with our sales before your purchase.

*The surfaces of materials without coating, or the insufficient surface tension of the paper and BOPP film, may cause the results of ink bleeding, scattered ink, concentrative ink, insufficient adhesion. The printing effect should be based on actual test results , we do not promise to hold good in every material.